

轴承型号	外形尺寸(mm)							额定载荷(kN)		装配高(mm)	常数	轴向载荷系数	参考重量(kg)
	d	D	T	B	C	R	r	Cr	Cor	a	e	Y1	
30203	17	40	13.25	12	11	1	1	20.7	21.9	9.6	0.29	2.11	0.094
30204	20	47	15.25	14	12	1	1	28.2	30.6	9.9	0.35	1.74	0.079
30205	25	52	16.25	15	13	1	1	32.2	37	11.4	0.31	1.06	0.104
30206	30	62	17.25	16	14	1	1	43.3	50.5	10.4	0.29	2.11	0.129
30207	35	72	18.25	17	15	1.5	1.5	54.2	63.5	12.3	0.29	2.11	0.173
30208	40	80	19.75	18	16	1.5	1.5	63	74	10.5	0.37	0.88	0.102
30209	45	85	20.75	19	16	1.5	1.5	67.9	83.6	11.2	0.35	1.74	0.126
30210	50	90	21.75	20	17	1.5	1.5	73.3	92.1	12.5	0.33	1	0.159
30211	55	100	22.75	21	18	2	1.5	90.8	113.7	11.1	0.3	2	0.165
30212	60	110	23.75	22	19	2	1.5	103.3	130	13.6	0.3	2	0.23
30213	65	120	24.75	23	20	2	1.5	120.6	152.6	8.2	0.32	1.88	0.056
30214	70	125	26.25	24	21	2	1.5	132.3	173.6	10.3	0.37	1.6	0.095
30215	75	130	27.25	25	22	2	1.5	138.4	185.4	8.5	0.32	1.88	0.064
30216	80	140	28.25	26	22	2.5	2	160.4	212.8	10.8	0.4	1.51	0.1
30217	85	150	30.5	28	24	2.5	2	177.6	236.8	12.5	0.37	1.6	0.154
30218	90	160	32.5	30	26	2.5	2	200.1	269.6	13	0.3	2	0.263
30219	95	170	34.5	32	27	3	2.5	226.6	309	15.9	0.3	2	0.368
30220	100	180	37	34	29	3	2.5	253.9	350.3	20.1	0.83	0.73	0.262
30221	105	190	39	36	30	3	2.5	285.3	398.6	8.7	0.32	1.88	0.064
30222	110	200	41	38	32	3	2.5	314.9	443.6	11.6	0.43	1.39	0.11
30224	120	215	43.5	40	34	3	2.5	337.4	483.3	11.1	0.29	2.07	0.129
30226	130	230	43.75	40	34	4	3	366	521.4	14	0.35	1.71	0.216
30228	140	250	45.75	42	36	4	3	409.2	584.7	9	0.32	1.88	0.069
30230	150	270	49	45	38	4	3	451.2	645.9	12.6	0.43	1.39	0.142

轴承型号	外形尺寸(mm)							额定载荷(kN)		装配高(mm)	常数	轴向载荷系数	参考重量(kg)
	d	D	T	B	C	R	r	Cr	Cor	a	e	Y1	
30232	160	290	52	48	40	4	3	511.8	738.8	15	0.34	1.77	0.286
30234	170	310	57	52	43	5	4	591.3	865.8	13.8	0.37	1.6	0.231
30236	180	320	57	52	43	5	4	610	911.9	15.6	0.37	1.6	0.287
30238	190	340	60	55	46	5	4	696.5	1028.8	15.3	0.31	1.9	0.387
30240	200	360	64	58	48	5	4	765.2	1137	18.9	0.31	1.9	0.562
30302	15	42	14.25	13	11	1	1	22.9	21.6	23.1	0.83	0.73	0.392
30303	17	47	15.25	14	12	1	1	28.3	27.2	9.2	0.32	1.88	0.072
30304	20	52	16.25	15	13	1.5	1.5	33.1	33.2	13.3	0.43	1.39	0.17
30305	25	62	18.25	17	15	1.5	1.5	46.9	48.1	12.8	0.29	2.06	0.201
30306	30	72	20.75	19	16	1.5	1.5	59	63.1	15.7	0.34	1.76	0.342
30307	35	80	22.75	21	18	2	1.5	75.3	82.6	10.2	0.32	1.88	0.106
30308	40	90	25.25	23	20	2	1.5	90.9	107.6	14	0.45	1.32	0.187
30309	45	100	27.25	25	22	2	1.5	108.9	129.8	16.6	0.35	1.73	0.385
30310	50	110	29.25	27	23	2.5	2	130.1	157.1	15.3	0.37	1.6	0.331
30311	55	120	31.5	29	25	2.5	2	153.3	187.6	17.9	0.37	1.6	0.445
30312	60	130	33.5	31	26	3	2.5	171.4	210	16.8	0.31	1.9	0.515
30313	65	140	36	33	28	3	2.5	195.9	241.7	20.4	0.31	1.9	0.763
30314	70	150	38	35	30	3	2.5	219	271.7	25.8	0.83	0.73	0.514
30315	75	160	40	37	31	3	2.5	252.8	318.8	10.1	0.29	2.06	0.114
30316	80	170	42.5	39	33	3	2.5	278.8	352.5	15.1	0.45	1.32	0.224
30317	85	180	44.5	41	34	4	3	304.9	388.2	13.5	0.31	1.97	0.254
30318	90	190	46.5	43	36	4	3	342.1	440.9	18.2	0.35	1.7	0.515
30319	95	200	49.5	45	38	4	3	369	477.7	16.9	0.37	1.6	0.422
30320	100	215	51.5	47	39	4	3	406.4	526.4	18.9	0.37	1.6	0.532

轴承型号	外形尺寸(mm)							额定载荷(kN)		装配高(mm)	常数	轴向载荷系数	参考重量(kg)
	d	D	T	B	C	R	r	Cr	Cor	a	e	Y1	
30321	105	225	53.5	49	41	4	3	433.1	561.9	19.5	0.35	1.74	0.747
30322	110	240	54.5	50	42	4	3	472.1	612.4	23.3	0.35	1.74	1.04
30324	120	260	59.5	55	46	4	3	562.6	746.1	29	0.83	0.73	0.727
30326	130	280	63.75	58	49	5	4	640	855	11.1	0.29	2.07	0.155
30328	140	300	67.75	62	53	5	4	722.7	974.9	14.9	0.38	1.58	0.267
30330	150	320	72	65	55	5	4	801.8	1085	14.1	0.28	2.12	0.306
30332	160	340	75	68	58	5	4	877.3	1190.6	18	0.36	1.69	0.496
30334	170	360	80	72	62	5	4	995.8	1369.5	20.8	0.36	1.68	0.715
30336	180	380	83	75	64	5	4	1086.8	1497.8	18.6	1.51	0.4	0.474
31305	25	62	18.25	17	17	1.5	1.5	40.7	46.1	20.1	0.4	1.48	0.573
31306	30	72	20.75	19	19	1.5	1.5	52.5	60.4	21.3	0.35	1.74	0.984
31307	35	80	22.75	21	21	2	1.5	65.7	76.8	25.6	0.35	1.74	1.4
31308	40	90	25.25	23	23	2	1.5	81.4	96.4	31.7	0.83	0.73	0.944
31309	45	100	27.25	25	25	2	1.5	95.6	113.8	12.2	0.32	1.88	0.18
31310	50	110	29.25	27	27	2.5	2	108	128.5	16.5	0.39	1.53	0.337
31311	55	120	31.5	29	29	2.5	2	129.9	158	15.9	0.29	2.04	0.398
31312	60	130	33.5	31	31	3	2.5	145.4	176.8	19.1	0.38	1.57	0.535
31313	65	140	36	33	33	3	2.5	165.7	202.6	21.9	0.39	1.56	0.771
31314	70	150	38	35	35	3	2.5	186.9	231	20	0.42	1.43	0.529
31315	75	160	40	37	37	3	2.5	208.5	258.9	21	0.42	1.43	0.626
31316	80	170	42.5	39	39	3	2.5	229.8	287.1	23	0.35	1.74	1.28
31317	85	180	44.5	41	41	4	3	253.9	319.1	28.2	0.35	1.74	1.89
31318	90	190	46.5	43	43	4	3	281.7	357.1	34.8	0.83	0.73	1.21
31319	95	200	49.5	45	45	4	3	311.4	399.8	13	0.34	1.76	0.181

轴承型号	外形尺寸(mm)							额定载荷(kN)		装配高(mm)	常数	轴向载荷系数	参考重量(kg)
	d	D	T	B	C	R	r	Cr	Cor	a	e	Y1	
31320	100	215	56.5	51	51	4	3	372.9	488.2	17.8	0.42	1.42	0.366
31321	105	225	58	53	53	4	3	398.5	523.8	17	0.32	1.9	0.433
31322	110	240	63	57	57	4	3	458.4	611.4	20.4	0.41	1.46	0.572
31324	120	260	68	62	62	4	3	535.2	723.5	23.2	0.41	1.45	0.825
31326	130	280	72	66	66	5	4	593.2	804.3	21	0.4	1.48	0.713
31328	140	300	77	70	70	5	4	678.4	929	22.8	0.4	1.48	0.853
31330	150	320	82	75	75	5	4	772.8	1070.7	24.9	0.35	1.74	1.63
32004	20	42	15	15	12	0.6	0.6	27.3	31.5	30.4	0.35	1.74	2.37
32004	20	42	15	15	12	0.6	0.6	25.1	28.2	37.5	0.83	0.73	1.56
32005	25	47	15	15	11.5	0.6	0.6	28	34.1	14.3	0.31	1.94	0.262
32006	30	55	17	17	13	1	1	35.7	46.8	19.8	0.41	1.48	0.551
32007	35	62	18	18	14	1	1	43.2	59.2	19	0.31	1.92	0.651
32008	40	68	19	19	14.5	1	1	51.9	71.1	21.9	0.37	1.6	0.843
32009	45	75	20	20	15.5	1	1	58.4	81.4	25.1	0.4	1.5	1.15
32010	50	80	20	20	15.5	1	1	61.1	89	22.3	0.4	1.48	0.904
32011	55	90	23	23	17.5	1.5	1.5	80.2	117.2	25	0.4	1.48	1.17
32012	60	95	23	23	17.5	1.5	1.5	81.7	122.2	26.6	0.35	1.74	1.99
32013	65	100	23	23	17.5	1.5	1.5	82.8	127.3	32	0.35	1.74	2.9
32014	70	110	25	25	19	1.5	1.5	104.3	160.1	40.4	0.83	0.73	1.9
32015	75	115	25	25	19	1.5	1.5	103.1	160.2	15.1	0.33	1.81	0.279
32016	80	125	29	29	22	1.5	1.5	141	220	20.9	0.43	1.39	0.584
32017	85	130	29	29	22	1.5	1.5	139.8	220.3	19.8	0.33	1.83	0.691
32018	90	140	32	32	24	2	1.5	171.3	271	23.1	0.4	1.51	0.895
32019	95	145	32	32	24	2	1.5	174.6	281.3	27.5	0.4	1.48	1.51

轴承型号	外形尺寸(mm)							额定载荷(kN)		装配高(mm)	常数	轴向载荷系数	参考重量(kg)
	d	D	T	B	C	R	r	Cr	Cor	a	e	Y1	
32020	100	150	32	32	24	2	1.5	173.1	281.7	23.8	0.4	1.48	1.13
32021	105	160	35	35	26	2.5	2	205.4	335.8	27.3	0.4	1.48	1.55
32022	110	170	38	38	29	2.5	2	245.7	403.4	28.7	0.35	1.74	2.44
32024	120	180	38	38	29	2.5	2	242.1	404.4	34.3	0.35	1.74	3.51
32026	130	200	45	45	34	2.5	2	333.7	567.1	44.2	0.83	0.73	2.37
32028	140	210	45	45	34	2.5	2	329.8	567.8	16.2	0.35	1.7	0.295
32030	150	225	48	48	36	3	2.5	367.6	635.8	22.4	0.46	1.31	0.62
32032	160	240	51	51	38	3	2.5	419.6	734.5	20.9	0.35	1.72	0.732
32034	170	260	57	57	43	3	2.5	519.4	920.5	26	0.39	1.55	1.3
32036	180	280	64	64	48	3	2.5	640.6	1151.3	29.5	0.39	1.54	1.99
32038	190	290	64	64	48	3	2.5	653.2	1178.5	25.8	0.42	1.43	1.26
32040	200	310	70	70	53	3	2.5	782	1422.6	28.8	0.42	1.43	1.64
32044	220	340	76	76	57	4	3	908.9	1665.5	30.7	0.35	1.74	2.98
32048	240	360	76	76	57	4	3	919.5	1729.4	36.5	0.35	1.74	4.34
32052	260	400	87	87	65	5	4	1123.9	2167.9	46.8	0.83	0.73	2.86
32056	280	420	87	87	65	5	4	1194.4	2284.8	17.6	0.32	1.9	0.471
32060	300	460	100	100	74	5	4	1516.2	2942.5	23.8	0.43	1.38	0.839
32064	320	480	100	100	74	5	4	1540.1	3005.4	22	0.28	2.11	1.07
32203	17	40	17.25	16	14	1	1	27.4	27.5	28.2	0.38	1.58	1.7
32204	20	47	19.25	18	15	1	1	34.1	34.7	30.7	0.41	1.47	2.1
32206	30	62	21.25	20	17	1	1	51.8	63.7	27.4	0.42	1.43	1.36
32207	35	72	24.25	23	19	1.5	1.5	70.6	89.5	30	0.44	1.38	1.74
32208	40	80	24.75	23	19	1.5	1.5	77.9	97.2	32	0.35	1.74	3.57
32209	45	85	24.75	23	19	1.5	1.5	80.7	104	39.4	0.35	1.74	5.37

轴承型号	外形尺寸(mm)							额定载荷(kN)		装配高(mm)	常数	轴向载荷系数	参考重量(kg)
	d	D	T	B	C	R	r	Cr	Cor	a	e	Y1	
32210	50	90	24.75	23	19	1.5	1.5	82.8	107.6	49.7	0.83	0.73	3.38
32211	55	100	26.75	25	21	2	1.5	108	142.3	18.5	0.33	1.8	0.49
32212	60	110	29.75	28	24	2	1.5	132.8	179.6	25.2	0.46	1.31	0.875
32213	65	120	32.75	31	27	2	1.5	160.9	221.7	22.8	0.3	2.01	1.12
32214	70	125	33.75	31	27	2	1.5	168.5	237.1	29.4	0.4	1.51	1.78
32215	75	130	33.25	31	27	2	1.5	170.3	242.1	31.9	0.43	1.4	2.17
32216	80	140	35.25	33	28	2.5	2	198.1	279	28.1	0.42	1.43	1.67
32217	85	150	38.5	36	30	2.5	2	226.7	324	31.4	0.42	1.43	2.13
32218	90	160	42.5	40	34	2.5	2	269.8	395.5	34.4	0.35	1.74	4.27
32219	95	170	45.5	43	37	3	2.5	302.5	448.4	42.1	0.35	1.74	6.38
32220	100	180	49	46	39	3	2.5	341	512	52.8	0.83	0.73	4.05
32221	105	190	53	50	43	3	2.5	381	579.2	19.6	0.35	1.71	0.514
32222	110	200	56	53	46	3	2.5	431.7	666.3	26.8	0.42	1.42	1.27
32224	120	215	61.5	58	50	3	2.5	477.7	758.1	25.2	0.28	2.16	1.63
32226	130	230	67.75	64	54	4	3	551.7	888.7	30.7	0.42	1.44	1.87
32228	140	250	71.75	68	58	4	3	643.7	1049.3	35.1	0.43	1.41	2.83
32230	150	270	77	73	60	4	3	721.3	1181.8	30.3	0.42	1.43	2.06
32232	160	290	84	80	67	4	3	856.5	1434.6	33.9	0.42	1.43	2.68
32234	170	310	91	86	71	5	4	968.8	1636.3	35.9	0.35	1.74	4.96
32236	180	320	91	86	71	5	4	999.3	1723.4	43.5	0.35	1.74	7.31
32238	190	340	97	92	75	5	4	1122.1	1904	55.6	0.83	0.73	4.69
32240	200	360	104	98	82	5	4	1315.4	2183.5	21.1	0.33	1.83	0.767
32303	17	47	20.25	19	16	1	1	35.3	36.3	28.1	0.44	1.36	1.32
32304	20	52	22.25	21	18	1.5	1.5	42.7	46.3	26.2	0.29	2.06	1.69

轴承型号	外形尺寸(mm)							额定载荷(kN)		装配高(mm)	常数	轴向载荷系数	参考重量(kg)
	d	D	T	B	C	R	r	Cr	Cor	a	e	Y1	
32305	25	62	22.25	24	20	1.5	1.5	61.6	68.8	33.1	0.41	1.48	2.43
32306	30	72	28.75	27	23	1.5	1.5	81.6	96.4	36.9	0.42	1.43	3.52
32307	35	80	32.75	31	25	2	1.5	99	118.3	32.3	0.42	1.43	2.54
32308	40	90	35.25	33	27	2	1.5	115.7	147.8	36.8	0.42	1.43	3.44
32309	45	100	38.25	36	30	2	1.5	145.3	189.4	37.5	0.35	1.74	5.8
32310	50	110	42.25	40	33	2.5	2	177.5	236.1	46.2	0.35	1.74	8.81
32311	55	120	45.5	43	35	2.5	2	203	271.4	58.5	0.83	0.73	5.46
32312	60	130	48.5	46	37	3	2.5	226.7	303	22.2	0.34	1.75	0.796
32313	65	140	51	48	39	3	2.5	259.6	349.8	30	0.42	1.42	1.72
32314	70	150	54	51	42	3	2.5	298.9	408.5	27.6	0.27	2.23	2.2
32315	75	160	58	55	45	3	2.5	347.4	483.1	34.9	0.4	1.51	3.13
32316	80	170	61.5	58	48	3	2.5	387.9	543.1	40.8	0.42	1.43	4.55
32317	85	180	63.5	60	49	4	3	421.8	592.8	34.2	0.42	1.43	3.04
32318	90	190	67.5	64	53	4	3	478.3	683.3	39.2	0.42	1.43	4.24
32319	95	200	71.5	67	55	4	3	516.1	737.7	40.1	0.35	1.74	6.8
32320	100	215	77.5	73	60	4	3	600.1	872.2	49	0.35	1.74	10.1
32321	105	225	81.5	77	63	4	3	647.2	945.2	61.2	0.83	0.73	6.46
32322	110	240	84.5	80	65	4	3	723.7	1064.4	23.4	0.36	1.68	0.831
32324	120	260	90.5	86	69	4	3	825.8	1226.2	31.4	0.44	1.36	1.79
32904	20	37	12	12	9	0.3	0.3	13.2	17.5	28.4	0.28	2.16	2.26
32905	25	42	12	12	9	0.3	0.3	15.9	21.1	37.3	0.39	1.54	3.94
32906	30	47	12	12	9	0.3	0.3	17	23.3	42.7	0.41	1.47	5.48
32907	35	55	14	14	11.5	0.6	0.6	25.7	34.7	36.4	0.42	1.43	3.72
32908	40	62	15	15	12	0.6	0.6	31.6	46.1	41.9	0.42	1.43	5.1

轴承型号	外形尺寸(mm)							额定载荷(kN)		装配高(mm)	常数	轴向载荷系数	参考重量(kg)
	d	D	T	B	C	R	r	Cr	Cor	a	e	Y1	
32909	45	68	15	15	12	0.6	0.6	32	48.4	42.2	0.35	1.74	8.22
32910	50	72	15	15	12	0.6	0.6	36.9	56.1	52.9	0.35	1.74	13
32911	55	80	17	17	14	1	1	41.5	66.7	68.4	0.83	0.73	8.59
32912	60	85	17	17	14	1	1	46.1	73.1	24.3	0.33	1.82	1.12
32913	65	90	17	17	14	1	1	45.4	73.2	32.8	0.46	1.31	1.85
32914	70	100	20	20	16	1	1	70.8	114.7	29.1	0.29	2.09	2.33
32915	75	105	20	20	16	1	1	78.2	124.7	40.3	0.41	1.48	4.31
32916	80	110	20	20	16	1	1	79.3	129	45.5	0.4	1.48	6.71
32917	85	120	23	23	18	1.5	1.5	96.9	164.1	38.5	0.42	1.43	4.38
32918	90	125	23	23	18	1.5	1.5	95.8	164.5	45	0.42	1.43	6.26
32919	95	130	23	23	18	1.5	1.5	97.1	169.8	43.6	0.35	1.74	9.38
32920	100	140	25	25	20	1.5	1.5	126.6	218.4	55.1	0.35	1.74	14.8
32921	105	145	25	25	20	1.5	1.5	128	225.6	70	0.83	0.73	9.58
32922	110	150	25	25	20	1.5	1.5	129.7	232.6	25.4	0.34	1.75	1.16
32924	120	165	29	29	23	1.5	1.5	171.9	317.3	34.6	0.44	1.35	2.4
32926	130	180	32	32	25	2	1.5	206	380.6	30.8	0.28	2.12	2.97
32928	140	190	32	32	25	2	1.5	207.2	392.4	42.9	0.4	1.48	5.29
32930	150	210	38	38	30	2.5	2	261	510.4	48.6	0.4	1.49	8.12
32932	160	220	38	38	30	2.5	2	262.8	525.4	40.4	0.42	1.43	5.21
32934	170	230	38	38	30	2.5	2	280.1	561.5	47.3	0.42	1.43	7.43
32936	180	250	45	45	34	2.5	2	341.4	707	45.1	0.35	1.74	11
32938	190	260	45	45	34	2.5	2	359.2	741.3	57.8	0.35	1.74	17.8
32940	200	280	51	51	39	3	2.5	459.9	946.1	75.3	0.83	0.73	12.1
32944	220	300	51	51	39	3	2.5	471.2	978.2	26.5	0.36	1.69	1.2

轴承型号	外形尺寸(mm)							额定载荷(kN)		装配高(mm)	常数	轴向载荷系数	参考重量(kg)
	d	D	T	B	C	R	r	Cr	Cor	a	e	Y1	
32948	240	320	51	51	39	3	2.5	519.6	1064.7	36.6	0.43	1.39	3.02
32952	260	360	63.5	63.5	48	3	2.5	687.3	1469.8	33.2	0.29	2.09	3.74
32956	280	380	63.5	63.5	48	3	2.5	746.4	1578.6	44	0.42	1.43	5.5
32960	300	420	76	76	57	4	3	1019.2	2199.7	44.1	0.44	1.38	6.2
32964	320	440	76	76	57	4	3	1045.7	2317.2	52.3	0.44	1.38	9.26
32968	340	460	76	76	57	4	3	1050.1	2376.5	49	0.35	1.74	14.2
32972	360	480	76	76	57	4	3	1056.5	2432.8	61.6	0.35	1.74	22.1
33005	25	47	17	17	14	0.6	0.6	32.5	42.5	81.8	0.83	0.73	15.3
33006	30	55	20	20	16	1	1	43.7	58.8	29.3	0.35	1.72	1.78
33007	35	62	21	21	17	1	1	46.9	63.3	39.3	0.46	1.31	3.18
33008	40	68	22	22	18	1	1	60.2	79.6	35.5	0.31	1.97	4.07
33009	45	75	24	24	19	1	1	72.6	100.4	47.6	0.4	1.51	7.68
33010	50	80	24	24	19	1	1	76.8	110.9	46.1	0.44	1.38	6.94
33011	55	90	27	27	21	1.5	1.5	94.9	144.7	56.6	0.44	1.38	11.4
33012	60	95	27	27	21	1.5	1.5	96.7	151.1	53.2	0.35	1.74	17.3
33013	65	100	27	27	21	1.5	1.5	98.1	157.7	87.2	0.83	0.73	18.4
33014	70	110	31	31	25.5	1.5	1.5	134.4	220.4	31.6	0.34	1.77	2.34
33015	75	115	31	31	25.5	1.5	1.5	133.1	221.2	43.3	0.43	1.38	4.94
33016	80	125	36	36	29.5	1.5	1.5	181.9	304.3	42	0.34	1.76	6.14
33017	85	130	36	36	29.5	1.5	1.5	180.4	305.5	49	0.44	1.38	8.73
33018	90	140	39	39	32.5	2	1.5	232.6	388.6	60.7	0.44	1.38	14.4
33019	95	145	39	39	32.5	2	1.5	231	389.9	56.5	0.35	1.74	21.4
33020	100	150	39	39	32.5	2	1.5	229.5	391.2	94.1	0.83	0.73	22.8
33021	105	160	43	43	34	2.5	2	257.4	437.4	33.8	0.36	1.67	2.47

轴承型号	外形尺寸(mm)							额定载荷(kN)		装配高(mm)	常数	轴向载荷系数	参考重量(kg)
	d	D	T	B	C	R	r	Cr	Cor	a	e	Y1	
33022	110	170	47	47	37	2.5	2	288.7	502.7	46	0.46	1.31	5.15
33024	120	180	48	48	38	2.5	2	298.2	535.1	45.1	0.36	1.67	6.57
33026	130	200	55	55	43	2.5	2	400.6	727.4	52.4	0.44	1.38	10.8
33028	140	210	56	56	44	2.5	2	407	755.5	65.4	0.44	1.38	18.2
33030	150	225	59	59	46	3	2.5	461.2	873.8	60.6	0.35	1.74	25.2
33108	40	75	26	26	20.5	1.5	1.5	84.7	110.3	100.1	0.83	0.73	27.4
33109	45	80	26	26	20.5	1.5	1.5	87.1	117.2	36.4	0.33	1.83	3.87
33110	50	85	26	26	20	1.5	1.5	89.3	124.1	49.2	0.46	1.31	6.25
33111	55	95	30	30	23	1.5	1.5	114.5	164.8	48.2	0.36	1.65	7.98
33112	60	100	30	30	23	1.5	1.5	117.1	173.2	55.5	0.44	1.38	13.3
33113	65	110	34	34	26.5	1.5	1.5	142.8	220.4	70.9	0.44	1.38	23.3
33114	70	120	37	37	29	2	1.5	172.1	267	63.3	0.35	1.74	29.5
33115	75	125	37	37	29	2	1.5	176.1	279.6	38.7	0.35	1.73	4.07
33116	80	130	37	37	29	2	1.5	179.6	292.3	52.6	0.46	1.31	7.66
33117	85	140	41	41	32	2.5	2	215.7	354.2	60.4	0.44	1.38	16.6
33118	90	150	45	45	35	2.5	2	252.1	414.7	76.3	0.44	1.38	28.6
33119	95	160	49	49	38	2.5	2	298.9	498.2	68	0.35	1.74	35.6
33120	100	165	52	52	40	2.5	2	309.4	529.2	41.9	0.38	1.57	4.33
33121	105	175	56	56	44	2.5	2	351.8	607.8	56.4	0.44	1.35	10.4
33122	110	180	56	56	43	2.5	2	373.2	639.1	62.8	0.45	1.33	17.3
33124	120	200	62	62	48	2.5	2	448.2	779.1	78.8	0.45	1.33	29.9
33205	25	52	22	22	18	1	1	47.1	55.8	70.9	0.35	1.74	40.7
33206	30	62	25	25	19.5	1	1	63.8	75.4	54	0.48	1.25	6.44
33207	35	72	28	28	22	1.5	1.5	82.6	101.7	60.1	0.42	1.42	14.1

轴承型号	外形尺寸(mm)							额定载荷(kN)		装配高(mm)	常数	轴向载荷系数	参考重量(kg)
	d	D	T	B	C	R	r	Cr	Cor	a	e	Y1	
33208	40	80	32	32	25	1.5	1.5	105.8	135.5	65	0.44	1.38	20.8
33209	45	85	32	32	25	1.5	1.5	109.5	145.1	82.1	0.44	1.38	36.1
33210	50	90	32	32	24.5	1.5	1.5	112.9	154.6	55.2	0.48	1.26	6.66
33211	55	100	35	35	27	2	1.5	143.1	196.7	62.8	0.44	1.36	14.6
33212	60	110	38	38	29	2	1.5	165.8	231.4	69.3	0.44	1.38	24.7
33213	65	120	41	41	32	2	1.5	202.2	281.6	85.1	0.41	1.48	43.2
33214	70	125	41	41	32	2	1.5	208.6	298.3	54.2	0.39	1.52	9.43
33215	75	130	41	41	31	2	1.5	207.1	299.7	66.9	0.43	1.39	18.9
33216	80	140	46	46	35	2.5	2	245.7	361.8	59.1	0.43	1.41	10
33217	85	150	49	49	37	2.5	2	281.7	415.7	73	0.43	1.39	24.4
33218	90	160	55	55	42	2.5	2	330.6	499.7	64.7	0.46	1.31	10.7
33219	95	170	58	58	44	3	2.5	377.4	568.4	78.4	0.46	1.31	25.9
33220	100	180	63	63	48	3	2.5	436.5	666.2	69.6	0.41	1.48	18.6
33221	105	190	68	68	52	3	2.5	497.8	770.5	85.6	0.43	1.38	38
320/22	22	44	15	15	11.5	0.6	0.6	26.1	30.3	74.5	0.43	1.39	19.7
320/28	28	52	16	16	12	1	1	31.4	40.4	90.3	0.46	1.31	40.2
320/32	32	58	17	17	13	1	1	36.5	49.2	80	0.39	1.52	31.5
329/22	22	40	12	12	9	0.3	0.3	15	20	97.7	0.43	1.38	57.5
329/28	28	45	12	12	9	0.3	0.3	16.9	22.9	85.1	0.42	1.44	33.3
329/32	32	52	14	14	10	0.6	0.6	23.9	32.5	103.5	0.46	1.31	60.6
332/28	28	58	24	24	19	1	1	58	68.3	90.5	0.44	1.37	34.8
332/32	32	65	26	26	20.5	1	1	68.8	82.2	96.2	0.46	1.31	36.3

轴承型号	外形尺寸 (mm)							额定载荷 (kN)		装配高 (mm)	常数	轴向载荷系数	参考重量 (kg)
	d	D	T	B	C	R	r	Cr	Cor	a	e	Y1	